

Sun Chemical Rycoline®

MagniTek™ Y-891 WM Blanket & Roller Wash Technical Data Sheet

Rycoline MagniTek Y-891 WM Blanket & Roller Wash is a versatile, hand-wash product for blankets, rollers and cleaning side frames.

typical characteristics and features

Rycoline MagniTek Y-891 WM Blanket & Roller Wash is formulated to have the following properties:

- Water miscibility
- Fast drying

technical information and ink handling

Wash selection

Wash	EMG Number	SAP Number 5 Gallon Totes	SAP Number 55 Gallon Drums	SAP Number 340 Gallon Totes
Rycoline MagniTek Y-891 WM Blanket & Roller Wash	133400	90091324	90910090	90183880

Physical properties

- VOC's: 6.78 pounds per gallon (99%)
- HMIS: 1-2-0
- Flashpoint: 105°F (41°C)
- Photochemically reactive

water miscibility

Rycoline MagniTek Y-891 WM Blanket & Roller Wash is to be used straight or mixed with up to 40% water for desired results.

directions

Hand Wash: generously coat cloth or rag with roller wash and wipe blankets until clean.

For Rollers: dilute up to 40% with water and apply directly into roller train allowing mixture to loosen ink. Engage wash up blade until all residues are removed.

ink suitability

Rycoline MagniTek Y-891 WM Blanket & Roller Wash is for use with conventional heatset and coldset inks.

clean - up

See MSDS for clean up of spills and personal precautions.

storage considerations

See MSDS for proper handling and storage recommendations.

safety, health and environment

Rycoline MagniTek Y-891 WM Blanket & Roller Wash is to be used in accordance with normal standards of industrial hygiene and good manufacturing practice. Please refer to the supplied Material Data Safety Sheet for specific information. Material Safety Data Sheets will be supplied. Printing inks, coatings and printing residues should be disposed of in accordance with local and national regulations.

Sun Chemical Rycoline®

MagniTek™ Y-891 WM Blanket & Roller Wash Technical Data Sheet

Product Properties

Products	Water Miscible	Fast Drying	Slip	High Flash Point (> 110°F/43°C)
Rycoline MagniTek Y-891 WM	•	•		
Rycoline MagniTek Y-911 WM	•	•		
Rycoline Fast Wash II		•		
Rycoline MagniTek Duo-Clean WM	•	•		
Rycoline MagniTek Y-952 WM	•		•	•
Rycoline MagniTek Y-120			•	
Rycoline MagniTek Y-120 WM	•		•	
Rycoline MagniTek Low Odor WM	•		•	
Rycoline MagniTek Web Plus A WM	•		•	
Rycoline MagniTek 7000NA			•	•
Rycoline MagniTek 7000 NA WM	•		•	•

This information has been compiled from experience gained in field conditions and detailed laboratory testing. However, the product's performance and its suitability for the customer's purpose depend on the particular conditions of use and the material being printed. We recommend that customers satisfy themselves that each product meets their requirements in all respects before commencing a print run. Since we cannot anticipate or control the conditions under which our products are used it is not possible to guarantee their performance.

All sales are subject to our standard terms and conditions for sale. The information contained in this technical data sheet is only a recommendation and may need to be altered to suit the conditions and efficiency of the equipment employed. Our products are not designed for use in conjunction with those of any other ink maker or similar supplier unless agreed to in writing.

Sun Chemical | North American Inks | 5540 Northwest Highway | Chicago, IL 60630
+1.800.621.1003 | www.sunchemical.com | marketing@sunchemical.com

6.2010

